

**Tashi Lopden Bhutia<sup>1</sup>**  
**Dewash Manger**  
**Manga Hang Limboo**  
**Manisha Rai**  
**Rahul Shah**

Review paper  
DOI – 10.24874/QF.25.135



## TRENDS IN ENSEMBLE LEARNING AND MODEL OPTIMIZATION

**Abstract:** Ensemble learning has become an adaptive machine learning method, that enhances prediction accuracy, stability, and generalization by averaging several models. This review explains recent developments in ensemble techniques with focus on evolution of traditional techniques such as bagging, boosting, and stacking into adaptive and efficient ones. Contemporary ensemble techniques now comprise deep learning models, hybrid models, and adaptive choice mechanisms to handle challenges such as big data, class imbalance, and computational complexity. Model optimization methods such as parameter tuning, overfitting avoidance, neural architecture search, and trial-and-error are now being incorporated into ensemble systems. All these advancements have given rise to auto-ML platforms which provide scalable and intelligent systems in all domains. Real-world deployment has also been considered by this paper, and emphasis has been placed on problems like model interpretability, runtime efficiency, and suitability for deployment in real-time. Overall, it provides insight into how ensemble learning is transforming data-driven solutions.

**Keywords:** ensemble learning, model optimization, auto-ML, deep learning, prediction accuracy, real-world deployment

### 1. Introduction

In the rapid growing field of machine learning, maintaining high model accuracy, strength, and ability to generalize is at the top of the agenda. As more data become available and tasks grow more complex, no single model or algorithm can ever perform optimally or consistently provide the best performance across a broad spectrum of tasks. This has led to the growth and popularity of ensemble learning a robust paradigm that combines the predictions of multiple models to produce a more stable

and accurate result than any individual one of its constituent models. Apart from this, model optimization techniques have gained prominence as they attempt to optimize model performance, reduce computational cost, and convert models efficiently to a specific domain. Together, ensemble learning and model optimization form a synergistic combination at the leading edge of current machine learning research and applications.

Ensemble learning takes the argument that a group of weak learners combined in the proper manner can individually compensate

<sup>1</sup>Corresponding author: Tashi Lopden Bhutia.  
Email: [tashilopdenbhutia@gmail.com](mailto:tashilopdenbhutia@gmail.com)

for a strong learner. Techniques such as bagging, boosting, stacking, and random forests have exhibited dramatic improvements in predictive accuracy across a wide variety of fields including medicine, finance, image classification, and natural language processing. For instance, algorithms like XG-Boost and Light-GBM have become the standard for most data science competitions and real-world scenarios due to their efficiency and efficacy. These ensemble methods help with variance reduction, bias reduction, or improving predictions using the strength and minimizing the weakness of individual models.

But the accuracy of ensemble methods also relies on the optimization level of the models and not the models themselves. This brings the optimization of the models into the spotlight. Optimization of models incorporates a huge pool of techniques such as hyperparameter tuning, regularization, feature selection, and search of architecture, among others. These are all essential to the enhancement of ensemble performance, boosting scalability, and avoiding overfitting. Methods such as Bayesian optimization, grid search, random search, and evolutionary algorithms have ensured it is possible to save time and get a better model without manually checking each possible combination that aids us to optimize the process making it efficient and accurate. Additionally, ensemble methods integrated with deep learning, the rise of automated machine learning (Auto-ML), and application of meta-learning and hybrid optimization strategies are expanding the capabilities of intelligent model design and training.

By studying the latest developments in ensemble learning and model optimization, this review attempts to find insights into state-of-the-art practice, list open research challenges, and determine where these two areas converge and diverge to provide guidance on future machine learning.

As data quantity and complexity grow, these methodologies will definitely play a key role in designing wiser, faster, and more accurate prediction mechanisms.

## 2. Literature of review

Hu et al. (2025) This paper proposes PB-OEL, an online ensemble method integrating multi-armed bandits for adaptive weight adjustment of classifiers. It guarantees ensemble performance to exceed that of any base learner over time, even under limited annotation. A theoretical framework bounds the ensemble's performance and supports real-time applications like safety assessment. Experiments confirm the model's superiority and robustness, marking a significant step in reliable online ensemble learning

Karakaya (2025) This study evaluates ML and ensemble models for predicting delivery times using a large Amazon dataset. After preprocessing and testing various classifiers, ensemble models—particularly those using SVM, Naive Bayes, and LDA—achieved the highest accuracy (99.89%). The study underlines the value of ensemble approaches for logistics optimization and customer satisfaction. It provides a scalable framework for predictive modeling in e-commerce logistics, addressing challenges in last-mile delivery and data complexity.

Mishra et al. (2025) This review focuses on classical ensemble techniques like bagging, boosting, and stacking, especially in addressing imbalanced datasets. It critically analyzes the limitations of single-model ML and emphasizes ensemble methods' ability to reduce bias and variance. The paper surveys recent advances and hybrid modifications in ensemble models, also highlighting their applicability in real-world sectors like bioinformatics and education. It concludes with future directions to enhance ensemble effectiveness and interpretability.

Aziz et al. (2024) This research integrates column generation from optimization theory with ensemble learning for binary

classification tasks. It proposes a three-phase LP-based ensemble framework that improves model generalization and diversity while reducing computational burden. The method decomposes learning into sub-problems, enhancing scalability and guaranteeing optimality in ensemble space. Experiments confirm its superiority over traditional boosting strategies. The study bridges optimization and ML, enhancing both theoretical and practical ensemble design.

Rane et al. (2024) This paper examines ensemble methods combining deep learning and ML across domains like healthcare, finance, and autonomous systems. It covers advanced techniques like stacking, boosting, and bagging, noting their improved accuracy and robustness. Challenges such as computational costs and interpretability are discussed, with emphasis on solutions like explainable AI. The paper also forecasts future impacts from quantum and federated learning on ensemble methods. It serves as a roadmap for evolving ensemble strategies amid big data growth.

Yaiprasert et al. (2024) This paper explains how ensemble machine learning models, powered by AI, can optimize cost strategies in logistics. By simulating business cost threshold data, it identifies patterns to enhance profit and efficiency. Three ensemble ML methods are applied to a dataset of 6561 tuples. The study emphasizes the flexibility, adaptability, and real-time decision-making capabilities of ensemble ML in dynamic logistics markets. It also highlights the economic and ecological benefits of AI integration in logistics.

Afolayan et al. (2024) This paper presents a comprehensive review of AI optimization strategies in intelligent transportation systems (ITS). It categorizes methods into four categories: model-based optimization, reinforcement learning, model predictive control, and generative AI. Emphasis is placed on recent techniques (2019–2024), their applications, limitations, and future

research needs. The study aims to bridge the gap in literature by covering diverse transport problems and aligning optimization methods accordingly. It serves as a roadmap for scalable, efficient, and adaptive AI solutions in transport management.

(Rahman et al., 2023) This paper explores the present flood prediction techniques are discussed in the paper and highlight the drawbacks of using independent machine learning models. A suggestion is made to use an ensemble technique using Stacked Generalization for improved accuracy. Training and testing were carried out using Kerala rain data (1907–2017). KNN, SVC, Decision Tree, and Logistic Regression models were tried. The ensemble model was found better than the others with 93.3% accuracy. The study proves the efficiency of ensemble learning in enhancing flood forecast systems.

(Kotary et al., 2023) This paper on "Differentiable Model Selection for Ensemble Learning" introduces a new framework named e2e-CEL that combines machine learning and combinatorial optimization to learn to select subsets of ensemble models adaptively for improved classification performance. By making model selection end-to-end trainable and differentiable, it largely surpasses existing ensemble aggregation techniques in various tasks of classification.

(Jeffares et al. 2023) This study explains how Deep ensembles have proven to be effective at improving predictive performance, typically by training models independently. But simultaneous optimization of the ensemble objective has led to poor performance because of what was called learner collusion, where models artificially improve diversity without improving generalization. The paper suggests a unified diversity framework and demonstrates collusion leads to overfitting and poor test performance. Experimental results over benchmark sets confirm that ensembles trained separately outperform

those trained together consistently.

(Ngo et al., 2022) This paper explains machine learning applications for energy usage in smart buildings, classifying them into smart grids, energy management, personalization, and maintenance/security. It demonstrates the popularity of reinforcement learning, neural networks and hybrid models. The present taxonomy fills in the gaps of existing taxonomies. There are several issues that need to be addressed such as lack of labeled data, poor generalization, and real-time response. The paper discusses prospective development based on User Comfort, Data privacy and Energy Efficiency.

(Kumar et al., 2022) This paper brings to limelight through its literature review that ensemble methods such as Bagging, Boosting, and Stacking are helpful in dealing with problems such as class imbalance, overfitting, and concept drift in machine learning. The methods improve predictive accuracy by voting collectively the output of an ensemble of classifiers. The article further discusses existing research merging ensemble methods and deep neural networks and demonstrates how one can simplify complex ensemble models. Ensemble learning, in general, presents itself as a reasonable solution for various data and model issues in classification problems.

(Mienye et al. 2022) The paper gives a comprehensive description of ensemble machine learning algorithms—bagging, boosting, and stacking—their relative merits with regard to enhancing the accuracy and generalization of the model. The paper outlines some elementary algorithms such as Random Forest, AdaBoost, XG-Boost, Light GBM, and Cat Boost. The research further identifies practical applications in medical diagnosis, credit card fraud detection, and sentiment analysis. Its strength is in referring to the mathematical foundation of the algorithms. The article features such issues as data imbalance and overfitting, in which the subject is focused on ensemble methods

as useful solutions.

(Hasnain et al., 2022) This study focuses on ensemble learning algorithms AdaBoost, Random Forest, SVM and their application in web service selection and classification. Classifiers that utilize models achieve higher classification performance at the same time are capable of handling missing data and class imbalance. Accuracy, precision, recall and F-measure are classical methods used to evaluate the classifiers. Research has demonstrated that the combination of classifiers outperforms individual models. Future work can also focus on the use of deep ensemble learning to improve performance.

(Shahhosseini et al., 2021) This paper explains GEM-ITH which is a nested optimization framework introduced for the joint tuning of hyperparameters and ensemble weights for regression. It is shown that an improvement in the predictive accuracy is gained when hyperparameter optimization is integrated with the ensemble creation. The present framework validated on ten public datasets through Bayesian search performs better than benchmark ensembles. GEM-ITH demonstrates a high degree of efficiency and generalizability in small to medium-scale regression problems.

(Belete et al. 2021) This study explores the effect of grid search hyperparameter optimization on the HIV/AIDS test result prediction with the use of the EDHS dataset is studied in this paper. Eight models, included the SVM, Random Forest, and Gradient Boosting, were compared before and after tuning. Hyperparameter tuning was found to be vital for optimizing accuracy, F1-score, and AUC-ROC. This study emphasizes that hyperparameter selection underpins model performance enhancement in health applications.

(Kastrati & Biba, 2021) The paper addresses optimization algorithms applied in machine learning, especially deep neural networks, covering SGD, Adam, Hessian-Free, and coordinate descent. It also

discusses issues related to scalability and convergence in large systems. The study emphasizes optimization's importance for model performance, and it concludes with some forward-looking statements about the interplay between optimization and machine learning.

(Wang et al., 2020) This new research has presented the Ensemble Learning-based Prediction Strategy (ELPS), a strategy for dynamic multi-objective optimization problems (DMOPs), which enhances a model's high robustness as far as changing environments are concerned. ELPS effectively incorporates four base models in the re-initialization of populations after any change. It certainly defeats an already existing prediction strategy with respect to benchmark tests. Furthermore, the ELPS-DMOEA framework is shown to be one that is more efficient against other rival algorithms in dynamic environments.

(Yu T et al. 2020) In this paper, we discuss hyperparameter optimization (HPO) methods used in deep learning to aid in improving the performance of the model and to minimize guesswork and trial-and-error work. A number of methods are discussed, including grid and random search, Bayesian methods, and bandit approaches. The paper examines toolkits for HPO and discusses challenges such as scalability. The focus lies on improving efficiency, accuracy, and reach for both academic and industrial applications, with an outlook on future developments in automated model tuning.

(Hamdia et al., 2020) The paper proposes an optimization technique, particularly a genetic algorithm, for obtaining efficient machine learning models, such as DNNs and ANFIS. The methodology optimizes architectural hyperparameters targeting minimization of prediction errors in supervised learning. The case study of polymer/nanoparticle composite fracture energy demonstrates that the optimized DNNs outperformed ANFIS in accuracy and computational efficiency. The results highlight the effectiveness of

evolutionary optimization in helping improve machine learning models.

(Shahhosseini et al., 2019) This paper on the topic "Optimizing Ensemble Weights and Hyperparameters of Machine Learning Models for Regression Problems" suggests two approaches, COWE and COWE-ITH, to enhance regression prediction jointly optimizing ensemble weights and model hyperparameters using bi-level optimization. The experimental results on ten public datasets demonstrate that the suggested COWE-ITH approach outperforms conventional ensemble methods and individually tuned models.

(Maruf oztürk et al. 2019) This paper "The Impact of Parameter Optimization of Ensemble Learning on Defect Prediction" analyzes the impact of hyperparameter optimization (HO) on the performance of ensemble learning models on software defect prediction. It presents a new ensemble method called novel Ensemble, illustrating that the optimized ensembles outperform default models, especially on AUC and MCC, and emphasizes that ensemble learner design matters more than the incorporated classifiers used.

(Ardabili et al., 2019) This paper "Advances in Machine Learning Modeling Reviewing Hybrid and Ensemble Methods" gives an overview of the fast development of hybrid and ensemble machine learning models, and how they enhance precision, stability, and computation efficiency compared to the conventional single models. It provides a taxonomy of recent approaches and their applications in energy, health, and hydrology.

(Young et al. 2018) This paper "Deep Super Learner: A Deep Ensemble for Classification Problems" introduces a new ensemble approach, known as Deep Super Learner (DSL), that combines classic machine learning algorithms into a deep-learning-like multi-layered structure. DSL can attain competitive or even better performance than deep neural networks with less complex training, fewer hyperparameters, faster

convergence with small data sizes, and more interpretable results.

(Hoch T, 2015) This paper "Deep Super Learner: A Deep Ensemble for Classification Problems" introduces a new ensemble approach, known as Deep Super Learner (DSL), that combines classic machine

learning algorithms into a deep-learning-like multi-layered structure. DSL can attain competitive or even better performance than deep neural networks with less complex training, fewer hyperparameters, faster convergence with small data sizes, and more interpretable results.

**Table 1.** Major contribution of review in the field of Machine Learning: Trends in Ensemble and Model Optimization

Authors	Year	Methodology	Outcomes	Strengths
Hu et al.	2025	PB-OEL: Online ensemble using multi-armed bandits for adaptive weighting.	Superior real-time performance, robust even with limited annotations.	Theoretical guarantees, reliable for online applications.
Karakaya	2025	Ensemble models (SVM, Naive Bayes, LDA) for delivery time prediction.	99.89% accuracy in Amazon delivery dataset prediction.	Scalable framework for logistics optimization.
Mishra et al.	2025	Review of bagging, boosting, stacking for imbalanced data.	Summarizes strengths of ensemble models across sectors.	Highlights practical applications and future directions.
Aziz et al.	2024	Three-phase LP-based ensemble using column generation.	Improved model diversity and scalability, superior to boosting.	Strong theoretical grounding, optimality assurance.
Rane et al.	2024	Ensemble of deep learning and machine learning methods.	Enhanced accuracy and robustness across sectors.	Discusses challenges like interpretability and solutions (XAI).
Yaiprasert et al.	2024	AI-driven ensemble models for logistics cost optimization.	Improved profits, efficiency, and real-time adaptability.	Highlights ecological benefits and flexibility.
Afolayan et al.	2024	Review of AI optimization strategies in ITS (Model-based, RL, MPC, Gen AI).	Bridges literature gap in transport AI solutions.	Comprehensive taxonomy and future roadmap provided.
Rahman et al.	2023	Stacked generalization ensemble for flood prediction.	93.3% accuracy using Kerala rainfall data.	Validates ensemble over individual models in environmental prediction.
Kotary et al.	2023	e2e-CEL: End-to-end differentiable ensemble selection framework.	Outperforms traditional aggregation in classification tasks.	Combines combinatorial optimization and deep learning.
Jeffares et al.	2023	Study on learner collusion in deep ensembles.	Separate training better than joint training for generalization.	Introduces unified diversity framework to counter collusion.
Ngo et al.	2022	ML applications taxonomy for smart building energy management.	Outlines issues like poor generalization and real-time response.	Bridges gaps in ML taxonomy for smart energy systems.

Kumar et al.	2022	Literature review on ensembles addressing imbalance and overfitting.	Ensembles improve prediction via collective voting.	Merges ensemble methods with deep neural networks.
Mienye et al.	2022	Overview of bagging, boosting, stacking, practical applications.	Discusses medical, financial, sentiment analysis applications.	Links mathematical theory to practical effectiveness.
Hasnain et al.	2022	Ensemble learning for web service selection/classification.	Ensembles outperform individual classifiers in handling missing data.	Future work suggests deep ensemble learning integration.
Shahhosseini et al.	2021	GEM-ITH: Joint hyperparameter and ensemble weight tuning framework.	Higher predictive accuracy over standard ensembles.	Validated across ten public datasets, efficient optimization.

### 3. Limitations in Trends in Ensemble Learning and Model Optimization

Given below are some of the limitations in trends in ensemble learning and model optimization:

- **High Computational Cost:**  
Multi model techniques like Gradient Boosting or Random Forests combines multiple models into a single model, hence increased processing time and computational systems or devices with low computational capacity.
- **Difficulty in Interpretation:**  
As ensemble models contain different individual models, making them harder to interpret. This lack of transparency could make decision explanations more difficult in sensitive area, such as medical or financial purposes.
- **Risk of Overfitting :**  
While ensemble methods reduce overfitting, poor parameter tuning or over-modeling can still induce it. This is due to the fact that the ensemble is picking up noise instead of learning the patterns in the training data.
- **Increased Training Time:**  
It takes longer to train several models in an ensemble rather than a single model which takes longer time.
- **Reliance on Base Model Quality:**  
The quality of the base models strongly

contributes to the ensemble's productivity. If the base models are poor or not that stronger than the previous one, the ensemble will not improve the results.

### 4. Challenges of Machine Learning: Trends in ensemble learning and model optimization

Following are the challenges in Machine Learning: Trends in Ensemble Learning and model optimization:

- **Data Quantity and Quality:**  
Models require big, high-quality data. Collecting sufficient labeled data is costly and time-consuming. Low-quality or imbalanced data results in biased predictions.
- **Overfitting and Generalization:**  
Overfitting happens when models memorize data, decreasing performance on new data. Regularization can help, but balancing complexity and simplicity is the key to generalization.
- **Interpretability and Transparency:**  
Most models, particularly deep learning ones, are black boxes, making it difficult to comprehend decisions. A lack of transparency diminishes trust, particularly in high-stakes areas such as healthcare.
- **Computational Resources and Scalability:**

Huge models take lots of resources and time for training. Scaling efficiently without making costs prohibitive is a big problem even with the use of GPUs.

- Fairness and Bias:

Models can also learn bias from training data, resulting in discriminatory outcomes. Solving bias involves technical and ethical approaches to make applications, such as hiring or lending, fair.

## 5. Future Scope of ensemble learning and model optimization

Given below are some of the future-scopes in ensemble learning and model optimization:

- Automated Ensemble Systems:

Auto-ML platforms will increasingly use ensemble methods automatically to boost model performance without manual tuning.

- Edge Deployment of Optimized Models:

Lightweight, optimized ensemble models will be deployed on edge devices for real-time predictions in areas like IoT and mobile apps.

- Explainable Ensembles:

Future research will focus on making ensemble models more interpretable to meet transparency needs in healthcare, finance, etc.

- Hybrid Optimization Techniques:

Combining techniques like genetic algorithms with ensemble learning will create more accurate and adaptable AI systems.

- Domain-Specific Ensemble Strategies:

Customized ensemble methods will be developed for fields like genomics, climate modeling, or cybersecurity for better accuracy and robustness.

## 6. Conclusion

Ensemble learning has evolved from a simple technique to enhance model performance to a robust and adaptive paradigm with a dominant role in machine learning research. Its key strength lies in its adaptability, resilience, and ability to solve intricate high-stakes issues in a broad range of domains including medicine, finance, and autonomous systems. Old techniques such as boosting and bagging have been replaced with sophisticated methods such as dynamic selection, real-time adaptation, and end-to-end system optimization. New paradigms such as DSL and e2e-CEL are reflective of this new trend with improved performance, yet attempting to be interpretable and efficient.

The primary innovation is to combine ensemble learning with AutoML, offering high-performance models to both new and experienced practitioners by automating architecture, hyperparameter tuning, and ensemble strategy creation. At the same time, a combination of ensemble techniques with Explainable AI (XAI), federated learning, and quantum computing tackles increasing needs for transparency, fairness, and privacy. SHAP and LIME are some of the tools that simplify ensemble decisions to explain, particularly in life-critical applications. Ensemble learning on the web is also a frontier area, where algorithms like PB-OEL learn in real-time from streaming data—a necessity for areas like industrial automation and cybersecurity. Meanwhile, though there are these advances, there are still challenges, particularly in computational cost and interpretability. Models like pruning and hardware-aware optimization are being explored to make ensembles more efficient. In the years to come, ensemble learning will be more sustainable, ethical, and modular. It will not only make the predictions more accurate but also steer AI towards greener, smarter, and more transparent solutions.

**Acknowledgement:** We would like to express our sincere gratitude to all those who have supported us throughout the preparation of this review paper. We are especially thankful towards our institution and faculty members for their constant guidance and feedback through which we have been able to complete this review paper.

We also acknowledge the authors and

researchers whose work has provided a strong foundations for our review paper. Their contributions have been instrumental in shaping our understanding of the topic.

Lastly, we extend our peers and collaborators for their thoughtful discussions and support during the course of this research.

## References:

- Afolayan, B. I., Ghosh, A., Calderin, J. F., & Mesagosa Arredondo, A. D. (2024). Emerging Trends in Machine Learning assisted Optimization Techniques Across Intelligent Transportation Systems. In *IEEE Access*. Institute of Electrical and Electronics Engineers Inc. <https://doi.org/10.1109/ACCESS.2024.3501775>
- Ardabili, S., Mosavi, A., & Várkonyi-Kóczy, A. R. (2019). *Advances in Machine Learning Modeling Reviewing Hybrid and Ensemble Methods*; <https://doi.org/10.20944/preprints201908.0203.v1>
- Aziz, V., Wu, O., Nowak, I., Hendrix, E. M. T., & Kronqvist, J. (2024). On Optimizing Ensemble Models using Column Generation. *Journal of Optimization Theory and Applications*. <https://doi.org/10.1007/s10957-024-02391-9>
- Belete, D. M., & Huchaiah, M. D. (2021). Grid search in hyperparameter optimization of machine learning models for prediction of HIV/AIDS test results. *International Journal of Computers and Applications*, 44(9), 875–886. <https://doi.org/10.1080/1206212X.2021.1974663>
- Hamdia, K. M., Zhuang, X., & Rabczuk, T. (2020). An efficient optimization approach for designing machine learning models based on genetic algorithm. *Neural Computing and Applications*, 33(6), 1923–1933. <https://doi.org/10.1007/s00521-020-05035-x>
- Hasnain, M., Ghani, I., Jeong, S. R., & Ali, A. (2022). Ensemble learning models for classification and selection of web services: A review. In *Computer Systems Science and Engineering* (Vol. 40, Issue 1, pp. 327–339). Tech Science Press. <https://doi.org/10.32604/CSSE.2022.018300>
- Hoch, T. (2015). *An Ensemble Learning Approach for the Kaggle Taxi Travel Time Prediction Challenge*. <https://www.researchgate.net/publication/283123171>
- Hu, S., Liu, Z., & He, X. (2025). *Performance-bounded Online Ensemble Learning Method Based on Multi-armed bandits and Its Applications in Real-time Safety Assessment*. <http://arxiv.org/abs/2503.15581>
- Jeffares, A., Liu, T., Crabbé, J., & van der Schaar, M. (2023). *Joint Training of Deep Ensembles Fails Due to Learner Collusion*. <http://arxiv.org/abs/2301.11323>
- Karakaya, İ. (2025). Evaluation of Machine Learning and Ensemble Learning Models for Classification Using Delivery Data. *Verimlilik Dergisi, PRODUCTIVITY FOR LOGISTICS*, 89–104. <https://doi.org/10.51551/verimlilik.1526436>
- Kastrati, M., & Biba, M. (2021). *A state-of-the-art survey of advanced optimization methods in machine learning*. <https://www.researchgate.net/publication/354062433>
- Kotary, J., Di Vito, V., & Fioretto, F. (2023). *Differentiable Model Selection for Ensemble Learning*. <http://arxiv.org/abs/2211.00251>
- Kumar, S., Kaur, P., & Gosain, A. (2022). A Comprehensive Survey on Ensemble Methods. *2022 IEEE 7th International Conference for Convergence in Technology, I2CT 2022*. <https://doi.org/10.1109/I2CT54291.2022.9825269>

- Maruf`oztürk, M., & Maruf`oztürk, M. (2019). The impact of parameter optimization of ensemble learning on defect prediction. In *Computer Science Journal of Moldova* (Vol. 27, Issue 1).
- Mienye, I. D., & Sun, Y. (2022). A Survey of Ensemble Learning: Concepts, Algorithms, Applications, and Prospects. In *IEEE Access* (Vol. 10, pp. 99129–99149). Institute of Electrical and Electronics Engineers Inc. <https://doi.org/10.1109/ACCESS.2022.3207287>
- Mishra, D., Tripathi, S. M., Chaurasia, A., & Chaurasia, P. K. (2025). A Review on Ensemble Learning Methods: Machine Learning Approach. *International Journal of Research Publication and Reviews*, 6(2), 3795–3803. <https://doi.org/10.55248/gengpi.6.0225.0971>
- Ngo, G., Beard, R., & Chandra, R. (2022). *Evolutionary bagging for ensemble learning*. <https://doi.org/10.1016/j.neucom.2022.08.055>
- Rahman, T., Asif Syeed, M. M., Farzana, M., Namir, I., Ishrar, I., Nushra, M. H., & Khan, B. M. (2023). Flood Prediction Using Ensemble Machine Learning Model. *HORA 2023 - 2023 5th International Congress on Human-Computer Interaction, Optimization and Robotic Applications, Proceedings*. <https://doi.org/10.1109/HORA58378.2023.10156673>
- Rane, N., Choudhary, S. P., & Rane, J. (2024). Ensemble deep learning and machine learning: applications, opportunities, challenges, and future directions. *Studies in Medical and Health Sciences*, 1(2), 18–41. <https://doi.org/10.48185/smhs.v1i2.1225>
- Shahhosseini, M., Hu, G., & Pham, H. (2021). *Optimizing Ensemble Weights and Hyperparameters of Machine Learning Models for Regression Problems*.
- Wang, F., Li, Y., Liao, F., & Yan, H. (2020). An ensemble learning based prediction strategy for dynamic multi-objective optimization. *Applied Soft Computing Journal*, 96. <https://doi.org/10.1016/j.asoc.2020.106592>
- Yaiprasert, C., & Hidayanto, A. N. (2024). AI-powered ensemble machine learning to optimize cost strategies in logistics business. *International Journal of Information Management Data Insights*, 4(1). <https://doi.org/10.1016/j.jjime.2023.100209>
- Young, S., Abdou, T., & Bener, A. (2018). *Deep Super Learner: A Deep Ensemble for Classification Problems*. <http://arxiv.org/abs/1803.02323>
- Yu, T., & Zhu, H. (2020). *Hyper-Parameter Optimization: A Review of Algorithms and Applications*. <http://arxiv.org/abs/2003.05689>

---

**Tashi Lopden Bhutia**

MCA II SEM,  
School Of Information  
Technology,  
The ICFAI University Sikkim,  
Gangtok,  
India.  
[tashilopdenbhutia@gmail.com](mailto:tashilopdenbhutia@gmail.com)  
ORCID 0009-0000-9000-2170

**Manisha Rai**

MCA II SEM,  
School Of Information  
Technology,  
The ICFAI University Sikkim,  
Gangtok,  
India.  
[rmanisha802@gmail.com](mailto:rmanisha802@gmail.com)  
ORCID 0009-0001-7023-6751

**Dewash Manger**

MCA II SEM,  
School Of Information  
Technology,  
The ICFAI University Sikkim,  
Gangtok,  
India.  
[dewashmanger99@gmail.com](mailto:dewashmanger99@gmail.com)  
ORCID 0009-0002-1004-0359

**Rahul Shah**

Assistant Professor,  
School Of Information  
Technology,  
The ICFAI University Sikkim,  
Gangtok,  
India.  
[rahul.shah@iusikkim.edu.in](mailto:rahul.shah@iusikkim.edu.in)  
ORCID 0000-0002-0605-5681

**Manga Hang Limboo**

MCA II SEM,  
School Of Information  
Technology,  
The ICFAI University Sikkim,  
Gangtok,  
India.  
[manghang25@gmail.com](mailto:manghang25@gmail.com)  
ORCID 0009-0003-5522-7720

---